


Couplers

STRAIGHT COUPLERS

COUPLERS ARE CONSTRUCTED OF HEAVY GAUGE STEEL FOR STRENGTH AND LONG WEAR. MAY BE BOLTED OR WELDED ON TO TRAILER TONGUE.

STOCK NO	BALL SIZE	NECK WIDTH	GROSS CAPACITY	MFG.	LIST
47-940	1 7/8"	2"	2000 LBS	DUTTON LAINSON	21.35
47-960	1 7/8"	2 9/16"	2000 LBS	DUTTON LAINSON	21.35
47-970	1 7/8"	3"	2000 LBS	DUTTON LAINSON	21.35
47-981	2"	2"	3500 LBS	DUTTON LAINSON	26.90
47-982	2"	2 1/2"	3500 LBS	DUTTON LAINSON	26.90
47-980	2"	3"	3500 LBS	DUTTON LAINSON	26.90
47-985	2"	3"	5000 LBS	DUTTON LAINSON	34.55
13-308	2" - 2 1/8"	2 7/8"	5000 LBS	FULTON	46.20
19-2516300	2 5/16"	3"	20000LBS	DICO	52.80



DL980




308



80081

A-FRAME COUPLERS

STOCK NO	BALL SIZE	GROSS LOADS	GROSS MOBILE HOME	MFG.	LIST
53-80070	2"	5000 LBS		ATTWOOD	31.35
53-81911	2 5/16"	10000 LBS	25000 LBS	ATTWOOD	33.35
13-33305	2"	5000 LBS		FULTON	29.10
13-44305	2 5/16"	10000 LBS	25000 LBS	FULTON	32.60



80070



81911

DUTTON-LAINSON COUPLER REPAIR KITS

EASY TO ASSEMBLE. NO TOOLS REQUIRED.
FOR DUTTON-LAINSON COUPLERS ONLY.

STOCK NO	DESCRIPTION	LIST
47-6256	FOR 1 7/8" COUPLER	13.10
47-6257	FOR 2" COUPLER	17.15



FULTON COUPLER REPAIR KITS

THESE REPAIR KITS FIT ONLY FULTON COUPLERS.


STOCK NO	DESCRIPTION	LIST
13-52	FOR 2" HAND WHEEL STYLE COUPLER	28.85
13-58	FOR 1 7/8" FAS-LOK STYLE COUPLER	14.15
13-59	FOR 2" FAS-LOK STYLE COUPLER	19.50



DICO ADJUSTABLE COUPLER

WELD-ON BRACKET ALLOWS FLEXIBILITY IN MOUNTING. COUPLER EASILY RAISED OR LOWERED.


STOCK NO	DESCRIPTION	CAPACITY	LIST
19-23309	2 5/16" ASSEMBLY	12000 LBS	120.00
19-18820	2 5/16" COUPLER ONLY	12000 LBS	109.00



DICO ADJUSTABLE CLEVIS

WELD-ON BRACKET WITH HEAVY DUTY LUNETTE EYE. EASILY ADJUSTED.


STOCK NO	DESCRIPTION	CAPACITY	LIST
19-9095	3/4" CLEVIS ASSEMBLY	12000 LBS	41.75
19-8979	3/4" CLEVIS ONLY	12000 LBS	27.75
19-18122	1" CLEVIS ASSEMBLY	20000 LBS	46.15
19-18078	1" CLEVIS ONLY	20000 LBS	30.50



DICO ADJUSTABLE LUNETTE

WELD-ON BRACKET WITH HEAVY DUTY LUNETTE EYE. EASILY ADJUSTED.


STOCK NO	DESCRIPTION	CAPACITY	LIST
19-18128	3" LUNETTE ASSEMBLY	12000 LBS	47.00
19-16137	LUNETTE EYE ONLY	12000 LBS	31.95
19-8978	CHANNEL ONLY	12000 LBS	10.95



PINTLE MOUNTS

THESE MOUNTS ARE DESIGNED TO ADAPT RECEIVER TUBES TO MULTI-HEIGHT PINTLE HOOK APPLICATIONS.

STOCK NO	A	B	C	PAIRS OF HOLES	LIST
51-14002	8 1/2"	7 1/4"	3"	4	50.50
51-14003	10 1/2"	7 1/4"	3"	4	65.00
51-14004	12"	13"	2 1/2"	7	78.50
51-14005	14"	13"	2 1/2"	7	76.75



PINTLE HOOKS

ALLOY STEEL FORGING - USED WHEN TOWING HEAVY EQUIPMENT OR LOADS.


STOCK NO	GROSS CAPACITY	LIST
12-R5	10000 LBS	47.75
12-R7	14000 LBS	59.95
12-R15	30000 LBS	75.30
BP100A	20000 LBS	204.00
12-B30	60000 LBS	280.00



12-R5



12-R15



BP100A




12-B30


TOW RING DRAWBARS

ALLOY STEEL FORGING. SQUARE MOUNT DRAWBARS. USED PRIMARILY ON EQUIPMENT AND UTILITY TRAILERS.

STOCK NO	GROSS CAPACITY	EYE LD.	LIST
12-R50A	42000 LBS	2 1/2"	81.50
12-R51A	60000 LBS	3"	136.00
12-050A	15000 LBS	2 1/2"	67.95
12-051B	45000 LBS	3"	89.00



12-050A



12-051B



12-R50A




12-R51A

COMBINATION BALL HITCH AND PINTLE HOOK

CHROME-MOLY BALL WITH HARD CHROME SURFACE. INTERCHANGEABLE HITCH BALLS. LARGE 1 1/8" BALL SHANK. DROP FORGED CONSTRUCTION. STANDARD MOUNTING PATTERN.


STOCK NO	BALL HITCH CAPACITY	PINTLE HOOK CAPACITY	BALL SIZE	LIST
12-DPH2000	10,000 LBS	16,000 LBS.	2"	110.00
12-DPH2516	10,000 LBS.	16,000 LBS.	2 5/16"	115.00



MOUNTING BOLT KIT

4) 1/2" X 2" GRADE 8 BOLTS, NUTS AND WASHERS FOR MOUNTING PINTLE HOOKS AND COMBINATION HITCHES.

STOCK NO	LIST
12-2117240	5.70



REPLACEMENT BALLS FOR COMBINATION HITCH AND PINTLE HOOK


STOCK NO	DESCRIPTION	LIST
12-2100185	2" REPLACEMENT BALL FOR 12-DPH2000	23.75
12-2101186	2 5/16" REPLACEMENT BALL FOR 12-DPH2516	24.20



DUAL PURPOSE COMBO HITCH FOR 2" RECEIVER

COMBINATION BALL HITCH AND PINTLE HOOK WITH 2" RECEIVER. TUBE 10,000 LB RATING. INTERCHANGEABLE BALLS. ONE PIECE FORGED DESIGN WITH DOUBLE LOCKING LATCH.





STOCK NO	DESCRIPTION	LIST
12-2079121A	2" BALL	127.00
12-2079121B	2 5/16" BALL	135.00



HITCH - RITE

A QUICK-CHANGE UNIVERSAL TRAILER BALL HITCH.

STOCK NO	DESCRIPTION	LIST
1-5500	3-BALL HITCH	113.95
1-5502	3-BALL HITCH W/CLEVIS	133.79
1-5700	3-BALL ADJUSTABLE HITCH	262.95
1-6000	3-BALL ADJUSTABLE HITCH W/CLEVIS	285.00



TRIPLE TOW BALL MOUNT

FITS 2" SQUARE RECEIVER. 1 7/8", 2" & 2 5/16" CHROME BALLS. MAX LOAD 10,000 LBS.

STOCK NO	LIST
51-31005	89.95



STEP BUMPER HITCH

FOR CUSTOM APPLICATIONS.
ACCEPTS 2" SQ. BALL MOUNT.

STOCK NO	DESCRIPTION	LIST
51-37003	STEP BUMPER W/2" ID RECEIVER TUBE	43.00



THE OUTBACKER

HITCH-MOUNTED ALL PURPOSE CARRIER.
FITS STANDARD RECEIVER STYLE HITCHES.
ACCEPTS OPTIONAL LIGHTING. CARRIES UP
TO 500 LBS WITH 2" RECEIVER OR 350 LBS
WITH 1 1/2" RECEIVER. LIFE TIME GUARANTEE.


STOCK NO	SIZE	LIST
51-49000	20" X 48" X 1 1/2"	122.65
51-49001	20" X 60X 2"	125.70



BALL MOUNTS

BALL MOUNTS RAISE OR LOWER BALL
HEIGHT FOR PROPER TRAILER TOWING.

STOCK NO	DESCRIPTION	HITCH PIN SIZE	BALL SHANK	LIST
51-30001	2" DROP W/2" SQX6 1/2" LG SHANK	5/8"	1"	26.25
51-30010	2" DROP-2" SQX6 1/2" LG SOLID-8000#	5/8"	1 1/4"	53.75
51-30002	2" DROP W/2" SQX8" LG SHANK	5/8"	1"	21.75
51-30011	2" DROP-2" SQX8" LG SOLID-8000#	5/8"	1 1/4"	57.75
51-30003	2" DROP W/2" SQX10" LG SHANK	5/8"	1"	24.00
51-30004	4" DROP W/2" SQX6 1/2" LG SHANK	5/8"	1"	21.70
51-30012	4" DROP-2" SQX6 1/2" LG SOLID-8000#	5/8"	1 1/4"	67.50
51-30005	4" DROP W/2" SQX8" LG SHANK	5/8"	1"	22.85
51-30013	4" DROP-2" SQX8" LG SOLID-8000#	5/8"	1 1/4"	59.75
51-30007	4" DROP W/2" SQX10" LG SHANK	5/8"	1"	24.95
51-30008	6" DROP/4 3/4" LIFT W/2" LG SHANK	5/8"	1"	25.50
51-30014	6" DROP-2" SQX6" LG SOLID-8000#	5/8"	1 1/4"	65.00
51-30009	8" DROP/6 3/4" LIFT W/2" SQ SHANK	5/8"	1"	37.25
51-30029	10" ADJUSTABLE BALL MOUNT	5/8"	1"	69.30
51-30018	1 5/8" DROP-1 5/8" SQX6" LG - MINI	1/2"	3/4"	27.50
51-30019	3 1/2" DROP-1 5/8" SQX6" LG - MINI	1/2"	3/4"	27.20
51-30051	1 1/4" DROP - 1 1/4" SQ X 6" LG MICRO MINI	1/2"	3/4"	22.65
51-30053	3 1/2" DROP - 1 1/4" SQ X 6" LG MICRO MINI	1/2"	3/4"	34.90






CHROME BALL MOUNTS

FITS CLASS 3 & 4 RECEIVERS ONLY.

STOCK NO	DROP	LIST
51-30034	2"	46.00
51-30037	4"	51.50
51-30041	6"	49.50

BUSHINGS FOR BALL MOUNTS & EQUALIZER HEADS

STOCK NO	DESCRIPTION	LIST
51-16004	CONVERTS 1" HOLE TO 3/4" HOLE	1.05
51-16005	CONVERTS 1 1/4" HOLE TO 1" HOLE	1.85



RECEIVER TUBES

FOR BUILDING CUSTOM RECEIVER HITCHES.
ACCEPTS 2" SQ. BALL MOUNTS.

STOCK NO	DESCRIPTION	LIST
51-35001	2" ID X 6" LG - 5/8" PIN HOLE	20.50
51-35004	2" ID X 12" LG - 5/8" PIN HOLE	22.20
51-35006	2" ID X 24" LG - 5/8" PIN HOLE	36.10
51-35007	2" ID X 36" LG - 5/8" PIN HOLE	45.66
51-35008	2" ID X 48" LG - 5/8" PIN HOLE	52.50



36002

RECEIVER TUBE COVER 2" CHROME TUBE COVER.

STOCK NO	LIST
51-36002	10.00

HITCHPINS AND KEEPERS

STOCK NO	DESCRIPTION	LIST
51-17001	5/8" STRAIGHT PULL RING PIN	5.50
51-17002	5/8" BENT PIN W/HOLE	1.65
51-17003	5/8" BENT PIN W/GROOVE	2.50
51-17004	1/2" BENT PIN W/GROOVE	2.55
51-94104	1/2" BENT PIN W/HOLE	2.09
51-17006	HAIRPIN FOR 5/8" PIN	.59
51-17007	LINCH PIN KEEPER	1.19
51-17008	HAIRPIN FOR 1/2" PIN	.74
51-17011	5/8" BENT PIN W/GROOVE & PIN	5.25
51-17012	5/8" BENT PIN W/HOLE & HAIRPIN	4.45
51-17013	5/8" BENT PIN W/ HOLE & LINCH PIN	4.65



17001



17002



17003



17004



17008