


Tires & Mounts

UNIVERSAL SPARE TIRE CARRIER

FITS 8" THRU 16.5" WHEELS. WITH OR WITHOUT LOCK.


STOCK NO	DESCRIPTION	WHEEL SIZE	LIST
95-STL14L	WITH LOCK	8" - 14"	17.95
95-STL14	WITHOUT LOCK	8" - 14"	7.92
95-STL15L	WITH LOCK	14" - 16.5"	22.75
95-STL15	WITHOUT LOCK	14" - 16.5"	12.50



HEAVY DUTY SPARE TIRE CARRIER

FITS TRAILER WHEELS UP TO 16 1/2". UNIVERSAL MOUNTING SYSTEM FITS TRAILER TONGUE UP TO 3" WIDE BY 5" HIGH. PROVIDES 4 3/4" LIFT AND OVER 7" OF OFFSET TO MOUNT TIRE UP AND OUT OF THE WAY.


STOCK NO	LIST
13-HDSTC	38.90



SPARE TIRE CARRIER

ZINC PLATED SIDE MOUNT TIRE CARRIER. FITS BOTH 4 & 5 LUG WHEELS AND TRAILER TONGUES UP TO 3" WIDE BY 4" HIGH.

STOCK NO	LIST
22-86099	26.39



SPARE TIRE CARRIER WITH HUB

5-BOLT HUB WITH BEARINGS MOUNTED ON 1 3/8" X 1 1/16" TAPERED SPINDLE. CAN BE INSTALLED ON 3X3 OR 3X4 WINCH STAND OR TONGUE. MOUNTING HARDWARE INCLUDED.

STOCK NO	LIST
22-86079	76.59

SPARE TIRE COVERS

HEAVY-DUTY WATERPROOF VINYL WITH CORDED EDGE. PROTECTS TIRES FROM SUN DAMAGE AND FOUL WEATHER. WIDE ELASTIC BAND KEEPS COVER SECURELY IN PLACE.

STOCK NO	DESCRIPTION	LIST
23-27400	FITS 8" TIRE	9.95
23-27410	FITS 12" TIRE	11.50
23-27420	FITS 13" TIRE	11.59
23-27430	FITS 14" TIRE	11.80
23-27440	FITS 15" TIRE	11.80



**TIRE AND WHEEL ASSEMBLIES
STANDARD HIGHWAY
SPOKE WHEEL PAINTED**

STOCK NO	TIRE SIZE	LOAD RANGE	BOLT PATTERN	MAX. LOAD	WHEEL COLOR	LIST
TW48012B4S	4.80-12	B	4 ON 4"	780 LBS.	WHITE	59.95
TW48012B5S	4.80-12	B	5 ON 4 1/2"	780 LBS.	WHITE	59.95
TW48012C4S	4.80-12	B	5 ON 4 1/2"	780 LBS.	WHITE	68.75
TW48012C5S	4.80-12	C	5 ON 4 1/2"	990 LBS.	WHITE	68.75
TW53012B4S	5.30-12	B	4 ON 4"	840 LBS.	WHITE	66.20
TW53012B5S	5.30-12	B	5 ON 4 1/2"	840 LBS.	WHITE	66.20
TW53012C4S	5.30-12	C	4 ON 4"	1045 LBS.	WHITE	81.50
TW53012C5S	5.30-12	C	5 ON 4 1/2"	1045 LBS.	WHITE	81.50
TWB7813B4S	B78-13ST	B	4 ON 4"	1065 LBS.	WHITE	95.25
TWB7813B5S	B78-13ST	B	5 ON 4 1/2"	1065 LBS.	WHITE	95.25
TWB7813C5S	B78-13ST	C	5 ON 4 1/2"	1315 LBS.	WHITE	97.50
TW205D14C5S	ST205/75D14	C	5 ON 4 1/2"	1820 LBS.	WHITE	119.00
TW205D15C5S	ST205/75D15	C	5 ON 4 1/2"	1820 LBS.	WHITE	166.00
TW215D14C5S	ST215/75D14	C	5 ON 4 1/2"	1870 LBS.	WHITE	138.00
TW225D15C5S	ST225/75D15	C	5 ON 4 1/2"	2150 LBS.	WHITE	183.00



**TIRE AND WHEEL ASSEMBLIES
STANDARD HIGHWAY
PLAIN WHEEL PAINTED**

STOCK NO	TIRE SIZE	LOAD RANGE	BOLT PATTERN	MAX. LOAD	WHEEL COLOR	LIST
TW48008B4	4.80-8	B	4 ON 4"	590 LBS.	WHITE	29.60
TW48008B5	4.80-8	B	5 ON 4 1/2"	590 LBS.	WHITE	29.60
TW57008B4	5.70-8	B	4 ON 4"	715 LBS.	WHITE	55.00
TW57008B5	5.70-8	B	5 ON 4 1/2"	715 LBS.	WHITE	55.00
TW57008C4	5.70-8	C	4 ON 4"	910 LBS.	WHITE	59.00
TW57008C5	5.70-8	C	5 ON 4 1/2"	910 LBS.	WHITE	59.00
TW1858B4	18.5 X 8.5	B	4 ON 4"	770 LBS.	WHITE	71.50
TW1858B5	18.5 X 8	B	5 ON 4 1/2"	770 LBS.	WHITE	71.50
TW205810B4	20.5 X 8.5-10	B	4 ON 4"	905 LBS.	WHITE	90.50
TW205810B5	20.5 X 8.0-10	B	5 ON 4 1/2"	905 LBS.	WHITE	90.50
TW205810C4	20.5 X 8.0-10	C	4 ON 4"	1105 LBS.	WHITE	99.50
TW205810C5	20.5 X 8.0-10	C	5 ON 4 1/2"	1105 LBS.	WHITE	99.50
TW205810D5	20.5 X 8.0-10	D	5 ON 4 1/2"	1330 LBS.	WHITE	112.00
TW205810E5	20.5 X 8.0-10	E	5 ON 4 1/2"	1535 LBS.	WHITE	125.00



**TIRE AND WHEEL ASSEMBLIES
OFF ROAD
PLAIN WHEEL PAINTED**

STOCK NO	TIRE SIZE	LOAD RANGE	BOLT PATTERN	MAX. LOAD	WHEEL COLOR	LIST
TW1858B4ORST	18 X 8.50	B	4 ON 4"	815 LBS.	WHITE	61.50



**TIRE AND WHEEL ASSEMBLIES
STANDARD HIGHWAY
SPOKE WHEEL GALVANIZED**

STOCK NO	TIRE SIZE	LOAD RANGE	BOLT PATTERN	MAX. LOAD	LIST
TW48012B4GS	4.80-12	B	4 ON 4"	780 LBS.	63.00
TW48012B5GS	4.80-12	B	5 ON 4 1/2"	780 LBS.	63.00
TW48012C4GS	4.80-12	C	4 ON 4"	990 LBS.	70.00
TW48012C5GS	4.80-12	C	5 ON 4 1/2"	990 LBS.	70.00
TW53012B4GS	5.30-12	B	4 ON 4"	840 LBS.	72.95
TW53012B5GS	5.30-12	B	5 ON 4 1/2"	840 LBS.	72.95
TW53012C4GS	5.30-12	C	4 ON 4"	1045 LBS.	76.50
TW53012C5GS	5.30-12	C	5 ON 4 1/2"	1045 LBS.	76.50
TWB7813B4GS	B78-13ST	B	4 ON 4"	1065 LBS.	99.50
TWB7813B5GS	B78-13ST	B	5 ON 4 1/2"	1065 LBS.	99.50
TWB7813C5GS	B78-13ST	C	5 ON 4 1/2"	1315 LBS.	102.00
TW205D14C5GS	ST205/75D14	C	5 ON 4 1/2"	1760 LBS.	122.00
TW205D15C5GS	ST205/75D15	C	5 ON 4 1/2"	1820 LBS.	151.00
TW215D14C5GS	ST215/75D14	C	5 ON 4 1/2"	1870 LBS.	154.00
TW225D15C5GS	ST225/75D15	C	5 ON 4 1/2"	2150 LBS.	165.00
TW225D15D6GS	ST225/75D15	D	6 ON 5 1/2"	2540 LBS.	172.00



**TIRE AND WHEEL ASSEMBLIES
RADIAL TIRE & GALVANIZED WHEEL**

STOCK NO	TIRE SIZE	LOAD RANGE	BOLT PATTERN	MAX. LOAD	LIST
TW175R13C5GS	ST175/75R13	C	5 ON 4 1/2"	1360 LBS.	124.25
TW205R14C5GS	ST205/75R14	C	5 ON 4 1/2"	1760 LBS.	151.95
TW225R15D6GS	ST225/75R15	D	6 ON 5 1/2"	2540 LBS.	178.85
TW235R16E6GS	ST235/85R16	E	6 ON 6 1/2"	3640 LBS.	299.00



**TIRE AND WHEEL ASSEMBLIES
STANDARD HIGHWAY
PLAIN WHEEL GALVANIZED**

STOCK NO	TIRE SIZE	LOAD RANGE	BOLT PATTERN	MAX. LOAD	LIST
TW48008B4G	4.80-8	B	4 ON 4"	590 LBS.	31.00
TW48008B5G	4.80-8	B	5 ON 4 1/2"	590 LBS.	31.00
TW57008B4G	5.70-8	B	4 ON 4"	715 LBS.	58.80
TW57008B5G	5.70-8	B	5 ON 4 1/2"	715 LBS.	58.80
TW57008C4G	5.70-8	C	4 ON 4"	910 LBS.	61.00
TW57008C5G	5.70-8	C	5 ON 4 1/2"	910 LBS.	61.00
TW205810B4G	20.5 X 8.0-10	B	4 ON 4"	905 LBS.	99.00
TW205810B5G	20.5 X 8.0-10	B	5 ON 4 1/2"	905 LBS.	99.00
TW205810C4G	20.5 X 8.0-10	C	4 ON 4"	1105 LBS.	103.00
TW205810C5G	20.5 X 8.0-10	C	5 ON 4 1/2"	1105 LBS.	103.00
TW205810D5G	20.5 X 8.0-10	D	5 ON 4 1/2"	1330 LBS.	115.00
TW205810E5G	20.5 X 8.0-10	E	5 ON 4 1/2"	1535 LBS.	128.00



**TIRE AND WHEEL ASSEMBLIES
RADIAL TIRE & ALUMINUM WHEEL**

STOCK NO	TIRE SIZE	LOAD RANGE	BOLT PATTERN	MAX. LOAD	LIST
TW205R14C5A	ST205/75R14	C	5 ON 4 1/2"	1820 LBS.	199.00



**TITAN TIRE & WHEEL ASSEMBLIES
STANDARD HIGHWAY
SPOKE WHEEL GALVANIZED**

STOCK NO	TIRE SIZE	LOAD RANGE	BOLT PATTERN	MAX. LOAD	LIST
TWB7813C5GST	B78-13ST	C	5 ON 4 1/2"	1315 LBS	126.50
TW205D14C5GST	ST225/75D14	C	5 ON 4 1/2"	1760 LBS	130.00



TRAILER TIRES

STOCK NO	TIRE SIZE	LOAD RANGE	INFLATION	MAX. LOAD	LIST
T48008B	4.80-8	B	60 PSI	590 LBS.	21.65
T57008B	5.70-8	B	50 PSI	715 LBS.	35.00
T57008C	5.70-8	C	75 PSI	910 LBS.	43.25
T205810B	20.5 X 8.0-10	B	35 PSI	905 LBS.	65.50
T205810C	20.5 X 8.0-10	C	50 PSI	1105 LBS.	72.50
T205810D	20.5 X 8.5-10	D	70 PSI	1330 LBS.	82.50
T205810E	20.5 X 8.0-10	E	90 PSI	1535 LBS.	89.00
T48012B	4.80-12	B	60 PSI	780 LBS.	30.30
T48012C	4.80-12	C	90 PSI	990 LBS.	35.00
T53012B	5.30-12	B	55 PSI	840 LBS.	34.00
T53012C	5.30-12	C	80 PSI	1045 LBS.	39.50
TB7813B	B78-13ST	B	35 PSI	1065 LBS.	70.00
TB7813C	B78-13ST	C	50 PSI	1315 LBS.	76.00
T205D14C	ST205/75D14	C	50 PSI	1760 LBS.	85.00
T205D15C	ST205/75D15	C	50 PSI	1820 LBS.	99.00
T215D14C	ST215/75D14	C	50 PSI	1870 LBS.	97.00
T225D15C	ST225/75D15	C	50 PSI	2150 LBS.	108.00
T225D15D	ST225/75D15	D	65 PSI	2540 LBS.	127.00



RADIAL TRAILER TIRES

STOCK NO	TIRE SIZE	LOAD RANGE	INFLATION	MAX. LOAD	LIST
T175R13C	ST175/80R13	C	50 PSI	1360 LBS.	89.95
T205R14C	ST205/75R14	C	50 PSI	1760 LBS.	113.65
T225R15D	ST225/75R15	D	65 PSI	2540 LBS.	141.50




TUBES

STOCK NO	DESCRIPTION	LIST
60-TB48008	4.80-8 TUBE	10.50
60-TB57008	5.70-8 TUBE	10.60
60-TB48012	4.80-12 TUBE	10.75
60-TB53012	5.30-12 TUBE	11.95
60-TB205810	20.5-8-10 TUBE	19.75
60-TB65013	6.50-13 TUBE	11.75




**TRAILER WHEELS
PLAIN GALVANIZED**

STOCK NO	WHEEL DIAMETER	BOLT PATTERN	WHEEL WIDTH	LIST
W408G	8"	4 ON 4"	3.75"	15.80
W508G	8"	5 ON 4 1/2"	3.75"	15.80
W410G	10"	4 ON 4"	6.00"	37.00
W510G	10"	5 ON 4 1/2"	6.00"	37.00



**TRAILER WHEELS
SPOKE GALVANIZED**

STOCK NO	WHEEL DIAMETER	BOLT PATTERN	WHEEL WIDTH	LIST
W412GS	12"	4 ON 4"	4.00"	32.95
W512GS	12"	5 ON 4 1/2"	4.00"	32.95
W413GS	13"	4 ON 4"	4.50"	39.75
W513GS	13"	5 ON 4 1/2"	4.50"	39.75
W514GS	14"	5 ON 4 1/2"	6.00"	49.95
W515GS	15"	5 ON 4 1/2"	6.00"	51.95
W615GS	15"	6 ON 5 1/2"	6.00"	51.60
W616GS	16"	6 ON 5 1/2"	6.00"	69.15
W6165GS	16 1/2"	6 ON 5 1/2"	6.50"	104.00
W8165GS	16 1/2"	8 ON 6 1/2"	6.75"	104.00




**TRAILER WHEELS
PLAIN PAINTED**

STOCK NO	WHEEL DIAMETER	BOLT PATTERN	WHEEL WIDTH	WHEEL COLOR	LIST
W408	8"	4 ON 4"	3.75"	WHITE	15.50
W508	8"	5 ON 4 1/2"	3.75"	WHITE	15.50
W410	10"	4 ON 4"	6.00"	WHITE	30.25
W510	10"	5 ON 4 1/2"	6.00"	WHITE	30.25



**TRAILER WHEELS
SPOKE PAINTED**

STOCK NO	WHEEL DIAMETER	BOLT PATTERN	WHEEL WIDTH	WHEEL COLOR	LIST
W412S	12"	4 ON 4"	4.00"	WHITE	31.75
W512S	12"	5 ON 4 1/2"	4.00"	WHITE	31.75
W413S	13"	4 ON 4"	4.50"	WHITE	36.75
W513S	13"	5 ON 4 1/2"	4.50"	WHITE	36.75
W514S	14"	5 ON 4 1/2"	6.00"	WHITE	43.85
W515S	15"	5 ON 4 1/2"	6.00"	WHITE	46.95



TRAILER WHEEL - MODULAR

STOCK NO	WHEEL DIAMETER	BOLT PATTERN	WHEEL WIDTH	WHEEL COLOR	LIST
W515MOD	15"	5 ON 4 1/2"	6.00"	WHITE	47.75



VALVE STEM

STOCK NO	DESCRIPTION	LIST
60-VS1	RUBBER VALVE STEM	1.45
60-VS2	METAL VALVE STEM	3.00

