


U-Bolts & Locks

U-BOLTS – SQUARE

ZINC PLATED FOR RUST RESISTANCE.
NUTS NOT INCLUDED.

STOCK NO	STOCK DIA.	A	B	C	THREADS PER INCH	LIST
46-UB3	3/8"	1 5/16"	3 3/4"	1 3/4"	16	1.50
46-UB4	3/8"	1 5/8"	4 1/16"	1 3/4"	16	1.60
46-UB5	3/8"	2 1/4"	4"	1 3/4"	16	1.47
46-UB6	3/8"	2 1/4"	5"	2"	16	1.83
46-UB7	3/8"	3 1/16"	3 7/8"	1 3/4"	16	1.57
46-UB8	3/8"	2 13/16"	3 1/2"	1 3/4"	16	1.40
46-UB9	3/8"	3 1/16"	4 7/8"	1 3/4"	16	1.85
46-UB10	1/2"	2 5/16"	5 11/16"	2"	13	2.85
46-UB10A	1/2"	1 7/8"	4 15/16"	2"	13	2.80
46-UB11	1/2"	2 5/8"	3 9/16"	2"	13	1.76
46-UB12	1/2"	2 5/8"	4 9/16"	2"	13	2.50
46-UB13	1/2"	2 5/16"	7"	2"	13	3.85
46-UB14	1/2"	3 5/8"	8 1/2"	3"	20	5.70
46-UB15	1/2"	3 1/16"	5 5/16"	2"	13	2.95
46-UB16	1/2"	3 1/16"	2 5/16"	1"	13	2.22
46-UB17	1/2"	4 1/16"	2 13/16"	2"	13	2.85
46-UB18	3/8"	2 1/16"	1 7/8"	1"	16	1.20
46-UB19	1/2"	3 3/8"	6 3/16"	2"	13	3.80
46-UB20	1/2"	3 1/16"	8 13/16"	2"	13	1.55
46-UB22	3/8"	3 1/16"	5 13/16"	1 3/4"	16	2.00
46-UB23	3/8"	2 1/16"	6 7/8"	1 3/4"	16	2.10
46-UB24	3/8"	1 9/16"	2 5/8"	1 3/4"	16	1.19
46-UB26	1/2"	3 1/16"	4 5/16"	2"	13	2.50
46-UB27	1/2"	2 1/16"	4 13/16"	2"	13	2.17
46-UB28	1/2"	3 1/16"	7 13/16"	2"	13	4.50
46-UB29	1/2"	4 5/16"	7 1/2"	2"	13	5.35
46-UB30	1/2"	3 13/16"	6 7/16"	2 1/2"	13	3.95
46-UB31	3/8"	1 5/8"	5 9/16"	1 3/4"	16	1.70
46-UB32	1/2"	3 3/8"	5 3/16"	2"	13	2.15
46-UB33	3/8"	2 1/16"	8"	3 5/8"	16	3.50
46-UB34	1/2"	2 5/8"	3 1/16"	2"	13	2.00
46-UB35	3/8"	2 1/16"	3 3/8"	1 3/4"	16	2.00
46-UB36	1/2"	4 7/8"	8 5/16"	2"	13	4.45
46-UB38	1/2"	3 1/16"	6 5/16"	2"	13	2.95
46-UB39	3/8"	3 1/16"	2 3/8"	1 3/4"	16	1.30
46-UB40	3/8"	2 1/16"	3 7/8"	1 3/4"	16	1.39
46-UB41	1/2"	3 5/8"	12"	3 7/8"	20	4.50
46-UB42	1/2"	3 13/16"	7"	2"	13	3.45
46-UB44	1/2"	1 9/16"	4 1/16"	2"	13	2.25
46-UB46*	1/2"	3 5/16"	2 3/16"	1 3/4"	13	4.85




*FITS 46-P16 PLATE

U-BOLTS – ROUND



ZINC PLATED FOR RUST RESISTANCE.
NUTS NOT INCLUDED.

STOCK NO	STOCK DIA.	A	B	C	THREADS PER INCH	LIST
46-UB1	3/8"	1 1/16"	3 3/8"	1 3/4"	16	1.50
46-UB2	3/8"	1 3/4"	4 3/16"	1 3/4"	16	1.40
46-UB2A	3/8"	2 1/16"	5 1/16"	1 3/4"	16	1.70
46-UB21	1/2"	2 3/8"	5 3/8"	2"	13	1.87
46-UB24A	3/8"	1 3/4"	2 11/16"	1 3/4"	16	1.19
46-UB25	1/2"	2 1/16"	5"	2"	13	1.75



GALVANIZED U-BOLTS

STOCK NO	STOCK DIA.	A	B	C	THREADS PER INCH	BEND	LIST
46-UB5G	3/8"	2 1/4"	4"	1 1/4"	16	SQUARE	1.67
46-UB7G	3/8"	3 1/16"	3 7/8"	1 1/4"	16	SQUARE	1.67
46-UB10G	1/2"	2 5/16"	5 11/16"	2"	13	SQUARE	3.45
46-UB11G	1/2"	2 5/8"	3 9/16"	2"	13	SQUARE	2.59
46-UB13G	1/2"	2 5/16"	7 13/16"	2"	13	SQUARE	4.42
46-UB15G	1/2"	3 1/16"	5 5/16"	2"	13	SQUARE	3.45
46-UB16G	1/2"	3 1/16"	2 5/16"	1"	13	SQUARE	2.17
46-UB19G	1/2"	3 3/8"	6 3/16"	2"	13	SQUARE	3.92
46-UB21G	1/2"	2 3/8"	5 3/8"	2"	13	ROUND	4.25
46-UB22G	3/8"	3 1/16"	5 13/16"	1 1/4"	16	SQUARE	2.17
46-UB23G	3/8"	2 1/16"	6 7/8"	1 1/4"	16	SQUARE	2.33
46-UB24G	3/8"	1 9/16"	2 5/8"	1 1/4"	16	SQUARE	1.25
46-UB26G	1/2"	3 1/16"	4 5/16"	2"	13	SQUARE	3.00
46-UB27G	1/2"	2 1/16"	4 13/16"	2"	13	SQUARE	3.00
46-UB28G	1/2"	3 1/16"	7 13/16"	2"	13	SQUARE	4.50
46-UB34G	1/2"	2 5/8"	3 1/16"	2"	13	SQUARE	2.33
46-UB35G	3/8"	2 1/16"	3 3/8"	1 1/4"	16	SQUARE	1.50
46-UB36G	1/2"	4 7/8"	8 5/16"	2"	13	SQUARE	5.17
46-UB38G	1/2"	3 1/16"	6 5/16"	2"	13	SQUARE	3.92
46-UB40G	3/8"	2 1/16"	3 7/8"	1 1/4"	16	SQUARE	1.58
46-UB42G	1/2"	3 13/16"	7"	2"	13	SQUARE	4.33



GALVANIZED LOCK WASHERS


STOCK NO	QTY	SIZE	LIST
66-WSH12LG	1	1/2"	.18
66-WSH38LG	1	3/8"	.17



GALVANIZED NUTS


TO BE USED WITH GALVANIZED U-BOLTS.

STOCK NO	QTY	SIZE	LIST
66-NT12G	1	1/2"	.23
66-NT38G	1	3/8"	.20




STAINLESS STEEL U-BOLTS

STOCK NO	STOCK DIA.	A	B	C	THREADS PER INCH	BEND	LIST
46-UB2SS	3/8"	1 3/4"	4 3/16"	1 3/4"	16	ROUND	2.60
46-UB7SS	3/8"	3 1/16"	3 7/8"	1 3/4"	16	SQUARE	2.75
46-UB9SS	3/8"	3 1/16"	4 3/4"	1 3/4"	16	SQUARE	3.50
46-UB10SS	1/2"	2 3/8"	5 5/8"	2"	13	SQUARE	5.70
46-UB10ASS	1/2"	1 7/8"	4 7/8"	2"	13	SQUARE	5.60
46-UB11SS	1/2"	2 5/8"	3 9/16"	2"	13	SQUARE	4.15
46-UB12SS	1/2"	2 5/8"	4 9/16"	2"	13	SQUARE	4.75
46-UB15SS	1/2"	3 1/16"	5 1/4"	2"	13	SQUARE	5.70
46-UB19SS	1/2"	3 3/8"	6 3/16"	2"	13	SQUARE	6.35
46-UB21SS	1/2"	2 7/16"	5 1/2"	2"	13	ROUND	4.95
46-UB22SS	3/8"	5 13/16"	1 3/4"	1 3/4"	16	SQUARE	2.50
46-UB24SS	3/8"	1 9/16"	2 1/2"	1 3/4"	16	SQUARE	1.75
46-UB26SS	1/2"	3 1/16"	4 3/4"	2"	13	SQUARE	4.60
46-UB27SS	1/2"	2 1/16"	4 7/8"	2"	13	SQUARE	4.70
46-UB29SS	1/2"	4 5/16"	7 1/2"	2"	13	SQUARE	8.20
46-UB30SS	1/2"	3 13/16"	6 7/16"	2"	13	SQUARE	7.20
46-UB31SS	3/8"	1 5/8"	5 9/16"	1 3/4"	16	SQUARE	3.30
46-UB32SS	1/2"	3 3/8"	5 3/16"	2"	13	SQUARE	5.75
46-UB36SS	1/2"	4 7/8"	8 5/16"	2"	13	SQUARE	9.15
46-UB38SS	1/2"	3 1/16"	6 5/16"	2"	13	SQUARE	6.20
46-UB42SS	1/2"	3 13/16"	7"	2"	13	SQUARE	7.20
46-UB43SS	1/2"	3 1/16"	7 5/16"	2"	13	SQUARE	7.30



ANGLE U-BOLTS

STOCK NO	SIZE	LIST
46-UB47	3"X3"	4.30
46-UB48	3"X4"	3.33



PLATES - ALUMINUM

STOCK NO	HOLE SIZE	DISTANCE BETWEEN HOLES	WIDTH	O.A.L.	LIST
46-P35A	1/2"	3 3/8"	1 1/2"	5 1/4"	3.80
46-P36A	1/2"	4 5/8"	1 1/2"	6 1/2"	3.97
46-P37A	1/2"	3 1/8 W/1" SLOTS	1 1/2"	6 1/2"	4.00
46-P38A	1/2"	6 1/4"	1 1/2"	8"	4.75
46-P39A	1/2"	31/2" W/1" SLOTS	1 1/2"	6"	3.95







PLATES

GALVANIZED FOR RUST RESISTANCE.

STOCK NO	HOLE SIZE	DISTANCE BETWEEN HOLES	WIDTH	O.A.L.	USE	LIST
46-P2	3/8"	2"	1"	3 5/8"	FITS 2" CHANNEL	1.35
46-P3	3/8"	3"	1"	4 5/8"	FITS 3" CHANNEL	1.45
46-P4	3/8"	4"	1"	5 5/8"	FITS 4" CHANNEL	1.70
46-P5	3/8"	5"	1"	6 1/2"	FITS 5" CHANNEL	1.90
46-P6	3/8"	6"	1"	7 1/2"	FITS 6" CHANNEL	2.25
46-P7	1/2"	2"	1 1/2"	4"	SPRING SHACKLE	1.95
46-P8	3/8"	2"	1 1/2"	4"	UNDERCARRIAGE PLATE	1.95
46-P9	1/2"	2"	1 1/2"	4 3/8"	3-HOLE AXLE PLATE	1.90
46-P10	1/2"	3 3/8" X 5 7/8"	1 1/2"	12"	3-HOLE ROLLER PLATE	6.95
46-P11	1/2"	1 11/16" X 2"	3 1/2"	4"	5-HOLE AXLE PLATE	3.55
46-P12	1/2"	3 1/8"	1 1/2"	5 1/2"	LARGE SHACKLE	2.35
46-P13	1/2"	2 5/16" X 1 13/16"	3 1/2"	6"	5-HOLE AXLE PLATE	5.15
46-P15	3/8"	2 21/2" X 3 1/2"	3 1/2"	4 1/2"	BOAT GUIDE	6.35
46-P16	1/2"	1/2" X 1 1/2" X 1 1/2"	3"	3 1/2"	5-HOLE AXLE PLATE	3.50
46-P19	1/2"	1 1/4"	1 1/2"	5"	3-HOLE AXLE PLATE	2.50
46-P7916*	9/16"	2 1/16"	1 1/4"	4 1/4"	SHACKLE PLATE	1.45

*ZINC PLATED



HAMMERLOCK-BOOTLOCK

SLIDES THROUGH TRAILER WHEEL COVERING THE TIRES LUG NUTS AND SPINDLE. PROTECTED PADLOCK ARE TO AVOID CUTTING. ZINC PLATED TO RESIST WEATHER AND CORROSION.

STOCK NO	DESCRIPTION	LIST
1-B101	BOOT BRACKET ML#220	176.00



HAMMERLOCK-CORKSCREW

EASILY GLIDES OVER AND FULLY ENCOMPASSES THE AXLE PREVENTING REMOVAL OF THE WHEEL, PROVIDING MAXIMUM SECURITY.


STOCK NO	DESCRIPTION	LIST
1-C101	CORKSCREW SYSTEM ML#220	102.00



HAMMERLOCK-CHAIN

CHAIN IS MADE OF SQUARE, NON-CUT,
TRIPLE HARDENED, ZINC PLATED STEEL.
LOCKS ARE DRILL AND CUT RESISTANT.

STOCK NO	DESCRIPTION	LIST
1-CH1033065	3' CHAIN W/LOCK	129.00
1-CCH1033065	3' COATED CHAIN W/LOCK	141.29
1-CH1063065	6' CHAIN W/LOCK	166.00
1-CCH1063065	6' COATED CHAIN W/LOCK	190.00
1-CH1083065	8' CHAIN W/LOCK	191.00
1-CCH1083065	8' COATED CHAIN W/LOCK	225.00
1-CH1103065	10' CHAIN W/LOCK	215.00
1-CCH1103065	10' COATED CHAIN W/LOCK	256.00
1-CH1123065	12' CHAIN W/LOCK	240.00
1-CCH1123065	12' COATED CHAIN W/LOCK	289.00



HAMMERLOCK ABLOY LOCK

STOCK NO	LIST
1-3065	92.00



MASTERLOCK TRAILER LOCKS

GUARDS AGAINST THEFT OF UNHITCHED
BOAT, CAMPING AND UTILITY TRAILERS.

STOCK NO	FITS COUPLER	LIST
21-34	2"	43.95
21-34KA*	2"	44.75
21-35	2" AND 2 5/16"	43.95
21-36	2 5/16" **	43.95

* KEYED ALIKE

**DOES NOT FIT DICO MODEL 60, MODEL 10 OR 2516300.



REPLACEMENT ALLEN WRENCH FOR USE ON MASTERLOCK TRAILER LOCKS.

STOCK NO	LIST
21-ALLEN KEY	1.45



FULTON GORILLA GUARD TRAILER LOCK

REVOLUTIONARY DESIGN SHIELDS LOCK FROM
TAMPERING DEVICES. VIRTUALLY INDESTRUCTIBLE.
MADE IN U.S.A.

STOCK NO	FITS COUPLER	LIST
13-TP20	2"	46.15
13-TP25	2 5/16"	49.50



GUARDIAN COUPLER LOCK

STOCK NO	DESCRIPTION	LIST
9-G33	FITS 1 7/8" COUPLER	41.85
9-G38	FITS 2" & 2 5/16" DICO COUPLERS	49.95
9-G44	FITS U.F.P. COUPLER	49.95

MODEL G-33




MASTERLOCK ARMOR LOCK

FOR GUARDING TRAILERS ON OR OFF VEHICLES AND FOR USE WITH SECURITY CABLES, CHAINS AND HASPS.

STOCK NO	LIST
21-37D	11.85
21-37KA*	12.75


*KEYED ALIKE



FULTON TRAILER HITCH LOCK

THEFT PROOF ON OR OFF THE CAR. PICK RESISTANT, SOLID CAST, HEAT TREATED FOR TOUGHNESS. WILL NOT CORRODE, RUST OR CLOG.

STOCK NO	LIST
13-HL00101	10.99



ABUS DISKUS PADLOCK

FOR USE WITH "E-Z LOCK" COUPLER LOCKS (34-TL30 OR 34-TL301). NON-CORROSIVE STAINLESS STEEL BODY AND INTERIOR.

STOCK NO	LIST
34-2460C	20.80



MASTERLOCK BRASS PADLOCKS

RESISTANT SOLID BRASS CASE. BRASS PIN TUMBLER LOCKING MECHANISM. RUGGED LOCKING LEVER. CASE-HARDENED STEEL SHACKLE. TWO NICKLED-PLATED BRASS KEYS.

STOCK NO	CASE WIDTH	A	B	C	LIST
21-130D	1 3/16"	3/16"	9/16"	5/8"	3.89
21-140D	1 9/16"	1/4"	13/16"	7/8"	5.05



MASTERLOCK

OUTBOARD MOTOR LOCK


FITS THE MAJORITY OF MOTORS SECURED TO TRANSOM BY MEANS OF CLAMP SCREWS (EXCEPT CERTAIN CHRYSLER OUTBOARDS). CASE HARDENED STEEL TUBE VINYL CLAD AGAINST WEATHER AND WATER.

STOCK NO	DESCRIPTION	LIST
21-430	BRASS LOCK	22.85



JET SKI LOCK

STOCK NO	DESCRIPTION	LIST
72-T6	1/2" X 8 5/8"	21.60



SURGE BRAKE COUPLER LOCK

FITS SURGE BRAKE COUPLERS WITH UP TO 3 1/2" SPAN.


STOCK NO	LIST
72-TC3	13.95



COUPLER LOCK - MASTER LOCK

FITS MOST 1 7/8" AND 2" COUPLERS. NICKEL-PLATED, ZINC DIE-CAST BODY WITH A FRONT ACCESS KEY-WAY FOR EASE OF ACCESSIBILITY.


STOCK NO	LIST
21-377	25.85



FULTON GORILLA GUARD RECEIVER LOCK

PREVENTS THEFT. EASY TO USE QUICK LOCK MECHANISM. TWO SIZES TO FIT ALL RECEIVERS. PLATED STEEL HITCH PIN. 1/2" DIA. FOR 1 1/4" RECEIVERS. 5/8" DIA. FOR 2" RECEIVERS.

STOCK NO	PIN DIA.	LIST
13-RL50	1/2"	15.65
13-RL63	5/8"	15.65



RECEIVER LOCKS

MADE OF HIGH QUALITY CHROME PLATED MACHINE HARDENED STEEL. O-RING AND WATERTIGHT CAP HELP SEAL OUT DIRT AND CORROSION IN THE LOCK HEAD. RUGGED TUBE KEY WON'T BEND OR BREAK OFF LIKE FLAT KEYS.

STOCK NO	FITS	LIST
72-T2	1/2" PIN FITS ALL CLASS II RECEIVER HITCHES	17.65
72-T3	5/8" PIN FITS ALL CLASS III & IV RECEIVER HITCHES	17.95



MASTERLOCK HITCH RECEIVER LOCKS

SNAP-ON RECEIVER LOCKS DO NOT REQUIRE A KEY TO LOCK. VINYL KEYWAY COVER ALLOWS FOR EXTENDED WEATHER PROTECTION. AVAILABLE FOR 1/2" AND 5/8" RECEIVERS.

STOCK NO	FITS	LIST
21-374	1/2" RECEIVER	13.85
21-375	5/8" RECEIVER	13.85



MASTER LOCK - S/S COMBO RECEIVER LOCK

STAINLESS STEEL UNIVERSAL RECEIVER LOCK FITS 1 1/4" & 2" RECEIVERS. FOR CLASS II, III & IV RECEIVERS. SLEEVE ON FITS 5/8" DIA, SLEEVE OFF FITS 1/2" DIA.


STOCK NO	LIST
21-1480DAT	19.99



EZ LOCK

A THEFT DETERRENT FOR UNATTACHED TRAILERS. SIMPLY SLIDE THE PIN THROUGH THE HOLES AND LOCK. MADE OF HIGH QUALITY ALUMINUM. PADLOCK NOT INCLUDED. USE LOCK #34-2460C.

STOCK NO	FITS COUPLER	LIST
34-TL301	2 5/16" DICO	32.60
34-TL33	2"	37.99



LUG NUT LOCK

DESIGNED FOR LOCKING NON-OPERATING SPARE TIRES ON VEHICLES, R.V.'S, BOATS, AND OTHER TRAILERS. CHROME ZINC PLATED.

STOCK NO	LIST
21-262	7.10

