

GALVANIZED U-BOLTS - SQUARE

NUTS NOT INCLUDED.

STOCK NO	STOCK DIA.	WIDTH	LEG LENGTH	THREAD LENGTH	THREADS PER INCH	LIST
46-UB3G	3/8"	1 3/8"	3 3/4"	1 3/4"	16	
46-UB4G	3/8"	1 5/8"	4 1/8"	1 7/8"	16	
46-UB5G	3/8"	2 1/4"	4"	1 3/4"	16	
46-UB6G	3/8"	2 1/4"	5"	2"	16	
46-UB7G	3/8"	3 3/16"	3 7/8"	1 3/4"	16	
46-UB8G	3/8"	2 7/8"	3 1/2"	1 3/4"	16	
46-UB9G	3/8"	3 3/16"	5"	2"	16	
46-UB10AG	1/2"	2 3/8"	4 7/8"	2"	13	
46-UB10G	1/2"	2 3/8"	5 3/4"	2"	13	
46-UB11G	1/2"	2 5/8"	3 1/2"	2"	13	
46-UB11AG	3/8"	2 5/8"	3 1/2"	2"	16	
46-UB12G	1/2"	2 5/8"	4 1/2"	2"	13	
46-UB13G	1/2"	2 3/8"	7"	2"	13	
46-UB15G	1/2"	3 3/16"	5 1/4"	1 3/4"	13	
46-UB16G	1/2"	3 1/8"	2 3/8"	1 1/2"	13	
46-UB17G	1/2"	4 1/8"	3"	2"	13	
46-UB18G	3/8"	2 2/16"	1 7/8"	1"	16	
46-UB19G	1/2"	3 3/8"	6 1/8"	2"	13	
46-UB20G	1/2"	3 1/8"	8 3/4"	2"	13	
46-UB22G	3/8"	3 1/8"	5 3/4"	1 3/4"	16	
46-UB23G	3/8"	2 1/8"	6 7/8"	1 3/4"	16	
46-UB24G	3/8"	1 5/8"	2 5/8"	1 3/4"	16	
46-UB26G	1/2"	3 1/8"	4 1/4"	2"	13	
46-UB27G	1/2"	2 1/8"	4 3/4"	2"	13	
46-UB27AG	1/2"	2 1/8"	5 3/8"	3"	13	
46-UB28G	1/2"	3 1/8"	7 3/4"	2"	13	
46-UB29G	1/2"	4 1/4"	7 1/2"	2"	13	
46-UB31G	3/8"	1 5/8"	5 5/8"	1 3/4"	16	
46-UB32G	1/2"	3 3/8"	5 1/8"	2"	13	
46-UB33G	3/8"	2 1/8"	8"	3 1/2"	16	
46-UB34G	1/2"	2 5/8"	3"	2"	13	
46-UB35G	3/8"	2 1/8"	3"	1 3/4"	16	
46-UB36G	1/2"	4 7/8"	8 1/4"	2"	13	
46-UB38G	1/2"	3 1/8"	6 1/4"	2"	13	
46-UB40G	3/8"	2 1/8"	3 7/8"	1 3/4"	16	
46-UB42G	1/2"	3 3/4"	7 1/8"	2"	13	
46-UB45G	1/2"	3 1/8"	3 1/4"	2"	13	
46-UB46G	1/2"	3 3/8"	1 1/4"	1"	13	

MEASURING U-BOLTS

W - Width


LL - Inside Leg Length

TL - Thread Length

Threads Per Inch

3/8" - 16 1/2" - 13

7/16" - 14 or 1/2" - 20




GALVANIZED U-BOLTS - ROUND

NUTS NOT INCLUDED.

STOCK NO	STOCK DIA.	WIDTH	LEG LENGTH	THREAD LENGTH	THREADS PER INCH	LIST
46-UB2G	3/8"	1 3/4"	4 3/4"	2"	16	
46-UB21G	1/2"	2 1/2"	5 1/2"	2"	13	
46-UB24AG	3/8"	1 3/4"	2 5/8"	1 1/2"	16	
46-UB25G	1/2"	2"	5"	2"	13	

MEASURING U-BOLTS

W - Width
 LL - Inside Leg Length
 TL - Thread Length
 Threads Per Inch
 3/8" - 16 1/2" - 13



STAINLESS STEEL U-BOLTS

NUTS NOT INCLUDED.

STOCK NO	STOCK DIA.	WIDTH	LEG LENGTH	THREAD LENGTH	THREADS PER INCH	BEND	LIST
46-UB2SS	3/8"	1 3/4"	4 3/4"	2"	16	ROUND	
46-UB7SS	3/8"	3 3/16"	3 7/8"	1 3/4"	16	SQUARE	
46-UB10SS	1/2"	2 3/8"	5 3/4"	2"	13	SQUARE	
46-UB13SS	1/2"	2 3/8"	7"	2"	13	SQUARE	
46-UB15SS	1/2"	3 3/16"	5 1/4"	1 3/4"	13	SQUARE	
46-UB21SS	1/2"	2 1/2"	5 1/2"	2"	13	ROUND	
46-UB24SS	3/8"	1 5/8"	2 5/8"	1 3/4"	16	SQUARE	
46-UB24ASS	3/8"	1 3/4"	2 5/8"	1 1/2"	16	ROUND	
46-UB26SS	1/2"	3 1/8"	4 1/4"	2"	13	SQUARE	
46-UB27SS	1/2"	2 1/8"	4 3/4"	2"	13	SQUARE	
46-UB29SS	1/2"	4 1/4"	7 1/2"	2"	13	SQUARE	
46-UB36SS	1/2"	4 7/8"	8 1/4"	2"	13	SQUARE	
46-UB38SS	1/2"	3 1/8"	6 1/4"	2"	13	SQUARE	
46-UB42SS	1/2"	3 3/4"	7 1/8"	2"	13	SQUARE	

ZINC U-BOLTS - SQUARE

NUTS NOT INCLUDED.

STOCK NO	STOCK DIA.	WIDTH	LEG LENGTH	THREAD LENGTH	THREADS PER INCH	LIST
46-UB14	1/2"	3 7/8"	8 5/8"	2"	20	
46-UB41	1/2"	3 5/8"	12"	4 3/4"	20	

GALVANIZED HEX NUTS

TO BE USED WITH GALVANIZED BOLTS AND GALVANIZED U-BOLTS.

STOCK NO	QTY	SIZE	LIST
66-NT12G	1	1/2"	
66-NT12G100	100	1/2"	
66-NT38G	1	3/8"	
66-NT38G100	100	3/8"	



GALVANIZED HEX NUTS

FULTON GORILLA GUARD TRAILER LOCK

REVOLUTIONARY DESIGN SHIELDS LOCK FROM TAMPERING DEVICES. VIRTUALLY INDESTRUCTIBLE. MADE IN U.S.A.

STOCK NO	FITS COUPLER	LIST
13-TP20	2"	
13-TP25	2 5/16"	



13-TP20

FULTON UNIVERSAL TRAILER COUPLER LOCK

DURABLE CAST BODY. FITS ALL 1 7/8", 2" AND 2 5/16" COUPLERS.

STOCK NO	LIST
13-UTL100	



13-UTL100

FULTON TRAILER HITCH LOCK

THEFT PROOF ON OR OFF THE CAR. PICK RESISTANT, SOLID CAST, HEAT TREATED FOR TOUGHNESS. WILL NOT CORRODE, RUST OR CLOG.

STOCK NO	LIST
13-HL00101	



13-HL00101

MASTER LOCK ARMOR LOCK

FOR GUARDING TRAILERS ON OR OFF VEHICLES AND FOR USE WITH SECURITY CABLES, CHAINS AND HASPS.

STOCK NO	LIST
21-37D	
21-37KA*	



21-37D

*KEYED ALIKE

MASTER LOCK BRASS PADLOCKS

RESISTANT SOLID BRASS CASE. BRASS PIN TUMBLER LOCKING MECHANISM. RUGGED LOCKING LEVER. CASE-HARDENED STEEL SHACKLE. TWO NICKEL-PLATED BRASS KEYS.

STOCK NO	CASE WIDTH	SHACKLE WIDTH	INSIDE WIDTH	INSIDE HEIGHT	LIST
21-130D	1 3/16"	3/16"	9/16"	5/8"	
21-140D	1 9/16"	1/4"	13/16"	7/8"	



21-130D

MASTER LOCK OUTBOARD MOTOR LOCK

FITS THE MAJORITY OF MOTORS SECURED TO TRANSOM BY MEANS OF CLAMP SCREWS (EXCEPT CERTAIN CHRYSLER OUTBOARDS). CASE HARDENED STEEL TUBE VINYL CLAD AGAINST WEATHER AND WATER.

STOCK NO	DESCRIPTION	LIST
21-430	BRASS LOCK	



21-430

TRIMAX CLASS V RECEIVER LOCK

FITS CLASS V HITCHES. STAINLESS STEEL. WATER TIGHT. FOR 2 1/2" RECEIVERS.

STOCK NO	LIST
72-T5	



72-T5

TRIMAX DISK STORAGE LOCK

WEATHER TOUGH STAINLESS STEEL CASE. ARMOR PLATED KEY CORE FOR ADDED SECURITY. PROTECTS AGAINST BOLT CUTTERS. CASE-HARDENED 3/8" (10MM) STEEL SHACKLE. TWO KEYS. EXTENDED BODY ARMOR.

STOCK NO	LIST
72-TRP170	



72-TRP170

SURGE BRAKE COUPLER LOCK

FITS SURGE BRAKE COUPLERS WITH UP TO 3 1/2" SPAN.

STOCK NO	LIST
72-TC3	



72-TC3

COUPLER LOCK - MASTER LOCK

2" SOLID BRASS TRAILER HITCH COUPLER LOCK.

STOCK NO	LIST
21-605DAT	



21-605DAT

COUPLER LOCK - MASTER LOCK

NICKEL-PLATED, ZINC DIE-CAST BODY WITH A FRONT ACCESS KEY-WAY FOR EASE OF ACCESSIBILITY.

STOCK NO	FITS COUPLER	LIST
21-377	1 7/8" OR 2"	
21-378	2 5/16"	
21-379DAT	UNIVERSAL 1 7/8", 2", 2 5/16"	



21-377

FULTON GORILLA GUARD RECEIVER LOCK

PREVENTS THEFT. EASY TO USE QUICK LOCK MECHANISM. TWO SIZES TO FIT ALL RECEIVERS. PLATED STEEL HITCH PIN. 1/2" DIA. FOR 1 1/4" RECEIVERS. 5/8" DIA. FOR 2" RECEIVERS.

STOCK NO	PIN DIAMETER	LIST
13-RL50	1/2"	
13-RL63	5/8"	



13-RL50

RECEIVER LOCKS

MADE OF HIGH QUALITY CHROME PLATED MACHINE HARDENED STEEL. O-RING AND WATERTIGHT CAP HELP SEAL OUT DIRT AND CORROSION IN THE LOCK HEAD. RUGGED TUBE KEY WONT BEND OR BREAK OFF LIKE FLAT KEYS.

STOCK NO	FITS	LIST
72-T2	1/2" PIN FITS ALL CLASS II RECEIVER HITCHES	
72-T3	5/8" PIN FITS ALL CLASS III & IV RECEIVER HITCHES	



72-T2

MASTER LOCK HITCH RECEIVER LOCK

SNAP-ON RECEIVER LOCKS DO NOT REQUIRE A KEY TO LOCK. VINYL KEYWAY COVER ALLOWS FOR EXTENDED WEATHER PROTECTION. AVAILABLE FOR 1/2" AND 5/8" RECEIVERS.

STOCK NO	FITS	LIST
21-1472DAT	1/2" RECEIVER	
21-1479DAT	5/8" RECEIVER	



21-1479DAT

MASTER LOCK HITCH RECEIVER LOCK

FOR 1/2" AND 5/8" RECEIVERS.

STOCK NO	FITS	LIST
21-2866DAT	1/2" RECEIVER CLASS I/II RATING 5/8" RECEIVER CLASS III/IV RATING	



21-2866DAT

MASTER LOCK - S/S COMBO RECEIVER LOCK

STAINLESS STEEL RECEIVER LOCK FOR CLASS III & IV RECEIVERS.

STOCK NO	LIST	LIST
21-1469DAT*	5/8" RECEIVER	
21-1480DAT	2" RECEIVER	

*EXTENDED SHAFT



21-1480DAT

MASTER LOCK - ADJUSTABLE COUPLER LATCH LOCK

STAINLESS STEEL. LOCKS AT 5/8", 1" AND 2" SPACING.

STOCK NO	LIST
21-2847DAT	



21-2847DAT

MASTER LOCK - RECEIVER/COUPLER HITCH LOCK SET

KEYED ALIKE, HITCH LOCK WILL FIT 1/2" OR 5/8" HOLE AND STAINLESS STEEL COUPLER LATCH ADJUSTS TO 5/8", 1" AND 2" SPACING.

STOCK NO	LIST
21-2848DAT	



21-2848DAT

MASTER LOCK - THREE LOCK SET

KEYED ALIKE. KITS CONSIST OF COUPLER LOCK, SWIVEL HEAD RECEIVER LOCK, AND ADJUSTABLE COUPLER LATCH LOCK.

STOCK NO	LIST
21-3794DAT	



21-3794DAT