


Tires & Mounts

UNIVERSAL SPARE TIRE CARRIER

FITS 8" THRU 16.5" WHEELS. WITH OR WITHOUT LOCK.

STOCK NO	DESCRIPTION	WHEEL SIZE
95-STL14L	WITH LOCK	8" - 14"
95-STL14	WITHOUT LOCK	8" - 14"
95-STL15L	WITH LOCK	14" - 16.5"
95-STL15	WITHOUT LOCK	14" - 16.5"



HEAVY DUTY SPARE TIRE CARRIER

FITS TRAILER WHEELS UP TO 16 1/2". UNIVERSAL MOUNTING SYSTEM FITS TRAILER TONGUE UP TO 3" WIDE BY 5" HIGH. PROVIDES 4 1/2" LIFT AND OVER 7" OF OFFSET TO MOUNT TIRE UP AND OUT OF THE WAY.

STOCK NO	
13-HDSTC	



SPARE TIRE CARRIER

ZINC PLATED SIDE MOUNT TIRE CARRIER. FITS BOTH 4 & 5 LUG WHEELS AND TRAILER TONGUES UP TO 3" WIDE BY 4" HIGH.

STOCK NO	
22-85099	



SPARE TIRE CARRIER WITH HUB

5-BOLT HUB WITH BEARINGS MOUNTED ON 1 3/8" X 1 1/16" TAPERED SPINDLE. CAN BE INSTALLED ON 3X3 OR 3X4 WINCH STAND OR TONGUE. MOUNTING HARDWARE INCLUDED.

STOCK NO	
22-46079	

SPARE TIRE COVERS

HEAVY-DUTY WATERPROOF VINYL WITH CORDED EDGE. PROTECTS TIRES FROM SUN DAMAGE AND FOUL WEATHER. WIDE ELASTIC BAND KEEPS COVER SECURELY IN PLACE.

STOCK NO	DESCRIPTION
23-27400	FITS 8" TIRE
23-27410	FITS 12" TIRE
23-27420	FITS 13" TIRE
23-27430	FITS 14" TIRE
23-27440	FITS 15" TIRE



**TIRE AND WHEEL ASSEMBLIES
STANDARD HIGHWAY
SPOKE WHEEL PAINTED**

STOCK NO	TIRE SIZE	LOAD RANGE	BOLT PATTERN	MAX. LOAD	WHEEL COLOR
TW48012B4S	4.80-12	B	4 ON 4"	780 LBS.	WHITE
TW48012B5S	4.80-12	B	5 ON 4 1/2"	780 LBS.	WHITE
TW48012C4S	4.80-12	B	5 ON 4 1/2"	780 LBS.	WHITE
TW48012C5S	4.80-12	C	5 ON 4 1/2"	990 LBS.	WHITE
TW53012B4S	5.30-12	B	4 ON 4"	840 LBS.	WHITE
TW53012B5S	5.30-12	B	5 ON 4 1/2"	840 LBS.	WHITE
TW53012C4S	5.30-12	C	4 ON 4"	1045 LBS.	WHITE
TW53012C5S	5.30-12	C	5 ON 4 1/2"	1045 LBS.	WHITE
TWB7813B4S	B78-13ST	B	4 ON 4"	1065 LBS.	WHITE
TWB7813B5S	B78-13ST	B	5 ON 4 1/2"	1065 LBS.	WHITE
TWB7813C5S	B78-13ST	C	5 ON 4 1/2"	1315 LBS.	WHITE
TW205D14C5S	ST205/75D14	C	5 ON 4 1/2"	1820 LBS.	WHITE
TW205D15C5S	ST205/75D15	C	5 ON 4 1/2"	1820 LBS.	WHITE
TW215D14C5S	ST215/75D14	C	5 ON 4 1/2"	1870 LBS.	WHITE
TW225D15C5S	ST225/75D15	C	5 ON 4 1/2"	2150 LBS.	WHITE



**TIRE AND WHEEL ASSEMBLIES
STANDARD HIGHWAY
PLAIN WHEEL PAINTED**

STOCK NO	TIRE SIZE	LOAD RANGE	BOLT PATTERN	MAX. LOAD	WHEEL COLOR
TW48008B4	4.80-8	B	4 ON 4"	590 LBS.	WHITE
TW48008B5	4.80-8	B	5 ON 4 1/2"	590 LBS.	WHITE
TW57008B4	5.70-8	B	4 ON 4"	715 LBS.	WHITE
TW57008B5	5.70-8	B	5 ON 4 1/2"	715 LBS.	WHITE
TW57008C4	5.70-8	C	4 ON 4"	910 LBS.	WHITE
TW57008C5	5.70-8	C	5 ON 4 1/2"	910 LBS.	WHITE
TW1858B4	18.5 X 8.5	B	4 ON 4"	770 LBS.	WHITE
TW1858B5	18.5 X 8	B	5 ON 4 1/2"	770 LBS.	WHITE
TW205810B4	20.5 X 8.5-10	B	4 ON 4"	905 LBS.	WHITE
TW205810B5	20.5 X 8.0-10	B	5 ON 4 1/2"	905 LBS.	WHITE
TW205810C4	20.5 X 8.0-10	C	4 ON 4"	1105 LBS.	WHITE
TW205810C5	20.5 X 8.0-10	C	5 ON 4 1/2"	1105 LBS.	WHITE
TW205810D5	20.5 X 8.0-10	D	5 ON 4 1/2"	1330 LBS.	WHITE
TW205810E5	20.5 X 8.0-10	E	5 ON 4 1/2"	1535 LBS.	WHITE



**TIRE AND WHEEL ASSEMBLIES
OFF ROAD
PLAIN WHEEL PAINTED**

STOCK NO	TIRE SIZE	LOAD RANGE	BOLT PATTERN	MAX. LOAD	WHEEL COLOR
TW1858B4ORST	18 X 8.50	B	4 ON 4"	815 LBS.	WHITE



**TIRE AND WHEEL ASSEMBLIES
STANDARD HIGHWAY
SPOKE WHEEL GALVANIZED**

STOCK NO	TIRE SIZE	LOAD RANGE	BOLT PATTERN	MAX. LOAD
TW48012B4GS	4.80-12	B	4 ON 4"	780 LBS.
TW48012B5GS	4.80-12	B	5 ON 4 1/2"	780 LBS.
TW48012C4GS	4.80-12	C	4 ON 4"	990 LBS.
TW48012C5GS	4.80-12	C	5 ON 4 1/2"	990 LBS.
TW53012B4GS	5.30-12	B	4 ON 4"	840 LBS.
TW53012B5GS	5.30-12	B	5 ON 4 1/2"	840 LBS.
TW53012C4GS	5.30-12	C	4 ON 4"	1045 LBS.
TW53012C5GS	5.30-12	C	5 ON 4 1/2"	1045 LBS.
TWB7813B4GS	B78-13ST	B	4 ON 4"	1065 LBS.
TWB7813B5GS	B78-13ST	B	5 ON 4 1/2"	1065 LBS.
TWB7813C5GS	B78-13ST	C	5 ON 4 1/2"	1315 LBS.
TW205D14C5GS	ST205/75D14	C	5 ON 4 1/2"	1760 LBS.
TW205D15C5GS	ST205/75D15	C	5 ON 4 1/2"	1820 LBS.
TW215D14C5GS	ST215/75D14	C	5 ON 4 1/2"	1870 LBS.
TW225D15C5GS	ST225/75D15	C	5 ON 4 1/2"	2150 LBS.
TW225D15D6GS	ST225/75D15	D	6 ON 5 1/2"	2540 LBS.



**TIRE AND WHEEL ASSEMBLIES
RADIAL TIRE & GALVANIZED WHEEL**

STOCK NO	TIRE SIZE	LOAD RANGE	BOLT PATTERN	MAX. LOAD
TW175R13C5GS	ST175/75R13	C	5 ON 4 1/2"	1360 LBS.
TW205R14C5GS	ST205/75R14	C	5 ON 4 1/2"	1760 LBS.
TW225R15D6GS	ST225/75R15	D	6 ON 5 1/2"	2540 LBS.
TW235R16E6GS	ST235/85R16	E	6 ON 6 1/2"	3640 LBS.



**TIRE AND WHEEL ASSEMBLIES
STANDARD HIGHWAY
PLAIN WHEEL GALVANIZED**

STOCK NO	TIRE SIZE	LOAD RANGE	BOLT PATTERN	MAX. LOAD
TW48008B4G	4.80-8	B	4 ON 4"	590 LBS.
TW48008B5G	4.80-8	B	5 ON 4 1/2"	590 LBS.
TW57008B4G	5.70-8	B	4 ON 4"	715 LBS.
TW57008B5G	5.70-8	B	5 ON 4 1/2"	715 LBS.
TW57008C4G	5.70-8	C	4 ON 4"	910 LBS.
TW57008C5G	5.70-8	C	5 ON 4 1/2"	910 LBS.
TW205810B4G	20.5 X 8.0-10	B	4 ON 4"	905 LBS.
TW205810B5G	20.5 X 8.0-10	B	5 ON 4 1/2"	905 LBS.
TW205810C4G	20.5 X 8.0-10	C	4 ON 4"	1105 LBS.
TW205810C5G	20.5 X 8.0-10	C	5 ON 4 1/2"	1105 LBS.
TW205810D5G	20.5 X 8.0-10	D	5 ON 4 1/2"	1330 LBS.
TW205810E5G	20.5 X 8.0-10	E	5 ON 4 1/2"	1535 LBS.



**TIRE AND WHEEL ASSEMBLIES
RADIAL TIRE & ALUMINUM WHEEL**

STOCK NO	TIRE SIZE	LOAD RANGE	BOLT PATTERN	MAX. LOAD
TW205R14C5A	ST205/75R14	C	5 ON 4 1/2"	1820 LBS.



**TITAN TIRE & WHEEL ASSEMBLIES
STANDARD HIGHWAY
SPOKE WHEEL GALVANIZED**

STOCK NO	TIRE SIZE	LOAD RANGE	BOLT PATTERN	MAX. LOAD
TWB7813C5GST	B78-13ST	C	5 ON 4 1/4"	1315 LBS
TW205D14C5GST	ST225/75D14	C	5 ON 4 1/4"	1760 LBS



TRAILER TIRES

STOCK NO	TIRE SIZE	LOAD RANGE	INFLATION	MAX. LOAD
T48008B	4.80-8	B	60 PSI	590 LBS.
T57008B	5.70-8	B	50 PSI	715 LBS.
T57008C	5.70-8	C	75 PSI	910 LBS.
T205810B	20.5 X 8.0-10	B	35 PSI	905 LBS.
T205810C	20.5 X 8.0-10	C	50 PSI	1105 LBS.
T205810D	20.5 X 8.5-10	D	70 PSI	1330 LBS.
T205810E	20.5 X 8.0-10	E	90 PSI	1535 LBS.
T48012B	4.80-12	B	60 PSI	780 LBS.
T48012C	4.80-12	C	90 PSI	990 LBS.
T53012B	5.30-12	B	55 PSI	840 LBS.
T53012C	5.30-12	C	80 PSI	1045 LBS.
TB7813B	B78-13ST	B	35 PSI	1065 LBS.
TB7813C	B78-13ST	C	50 PSI	1315 LBS.
T205D14C	ST205/75D14	C	50 PSI	1760 LBS.
T205D15C	ST205/75D15	C	50 PSI	1820 LBS.
T215D14C	ST215/75D14	C	50 PSI	1870 LBS.
T225D15C	ST225/75D15	C	50 PSI	2150 LBS.
T225D15D	ST225/75D15	D	65 PSI	2540 LBS.



RADIAL TRAILER TIRES

STOCK NO	TIRE SIZE	LOAD RANGE	INFLATION	MAX. LOAD
T175R13C	ST175/80R13	C	50 PSI	1360 LBS.
T205R14C	ST205/75R14	C	50 PSI	1760 LBS.
T225R15D	ST225/75R15	D	65 PSI	2540 LBS.



TUBES

STOCK NO	DESCRIPTION
60-TB48008	4.80-8 TUBE
60-TB57008	5.70-8 TUBE
60-TB48012	4.80-12 TUBE
60-TB53012	5.30-12 TUBE
60-TB205810	20.5-8-10 TUBE
60-TB65013	6.50-13 TUBE




**TRAILER WHEELS
PLAIN GALVANIZED**

STOCK NO	WHEEL DIAMETER	BOLT PATTERN	WHEEL WIDTH
W408G	8"	4 ON 4"	3.75"
W508G	8"	5 ON 4 1/2"	3.75"
W410G	10"	4 ON 4"	6.00"
W510G	10"	5 ON 4 1/2"	6.00"



**TRAILER WHEELS
SPOKE GALVANIZED**

STOCK NO	WHEEL DIAMETER	BOLT PATTERN	WHEEL WIDTH
W412GS	12"	4 ON 4"	4.00"
W512GS	12"	5 ON 4 1/2"	4.00"
W413GS	13"	4 ON 4"	4.50"
W513GS	13"	5 ON 4 1/2"	4.50"
W514GS	14"	5 ON 4 1/2"	6.00"
W515GS	15"	5 ON 4 1/2"	6.00"
W615GS	15"	6 ON 5 1/2"	6.00"
W616GS	16"	6 ON 5 1/2"	6.00"
W6165GS	16 1/2"	6 ON 5 1/2"	6.50"
W8165GS	16 1/2"	8 ON 6 1/2"	6.75"




**TRAILER WHEELS
PLAIN PAINTED**

STOCK NO	WHEEL DIAMETER	BOLT PATTERN	WHEEL WIDTH	WHEEL COLOR
W408	8"	4 ON 4"	3.75"	WHITE
W508	8"	5 ON 4 1/2"	3.75"	WHITE
W410	10"	4 ON 4"	6.00"	WHITE
W510	10"	5 ON 4 1/2"	6.00"	WHITE



**TRAILER WHEELS
SPOKE PAINTED**

STOCK NO	WHEEL DIAMETER	BOLT PATTERN	WHEEL WIDTH	WHEEL COLOR
W412S	12"	4 ON 4"	4.00"	WHITE
W512S	12"	5 ON 4 1/2"	4.00"	WHITE
W413S	13"	4 ON 4"	4.50"	WHITE
W513S	13"	5 ON 4 1/2"	4.50"	WHITE
W514S	14"	5 ON 4 1/2"	6.00"	WHITE
W515S	15"	5 ON 4 1/2"	6.00"	WHITE



TRAILER WHEEL - MODULAR

STOCK NO	WHEEL DIAMETER	BOLT PATTERN	WHEEL WIDTH	WHEEL COLOR
W515MOD	15"	5 ON 4 1/2"	6.00"	WHITE



VALVE STEM

STOCK NO	DESCRIPTION
60-VS1	RUBBER VALVE STEM
60-VS2	METAL VALVE STEM

