


U-Bolts & Locks

U-BOLTS - SQUARE

ZINC PLATED FOR RUST RESISTANCE.
NUTS NOT INCLUDED.

STOCK NO	STOCK DIA.	A	B	C	THREADS PER INCH
46-UB3	3/8"	1 5/16"	3 3/4"	1 3/4"	16
46-UB4	3/8"	1 5/8"	4 1/16"	1 3/4"	16
46-UB5	3/8"	2 1/4"	4"	1 3/4"	16
46-UB6	3/8"	2 1/4"	5"	2"	16
46-UB7	3/8"	3 1/16"	3 7/8"	1 3/4"	16
46-UB8	3/8"	2 13/16"	3 1/2"	1 3/4"	16
46-UB9	3/8"	3 1/16"	4 7/8"	1 3/4"	16
46-UB10	1/2"	2 5/16"	5 11/16"	2"	13
46-UB10A	1/2"	1 7/8"	4 15/16"	2"	13
46-UB11	1/2"	2 5/8"	3 9/16"	2"	13
46-UB12	1/2"	2 5/8"	4 9/16"	2"	13
46-UB13	1/2"	2 5/16"	7"	2"	13
46-UB14	1/2"	3 5/8"	8 1/2"	3"	20
46-UB15	1/2"	3 1/16"	5 5/16"	2"	13
46-UB16	1/2"	3 1/16"	2 5/16"	1"	13
46-UB17	1/2"	4 1/16"	2 13/16"	2"	13
46-UB18	3/8"	2 1/16"	1 7/8"	1"	16
46-UB19	1/2"	3 3/8"	6 3/16"	2"	13
46-UB20	1/2"	3 1/16"	8 13/16"	2"	13
46-UB22	3/8"	3 1/16"	5 13/16"	1 3/4"	16
46-UB23	3/8"	2 1/16"	6 7/8"	1 3/4"	16
46-UB24	3/8"	1 9/16"	2 5/8"	1 3/4"	16
46-UB26	1/2"	3 1/16"	4 5/16"	2"	13
46-UB27	1/2"	2 1/16"	4 13/16"	2"	13
46-UB28	1/2"	3 1/16"	7 13/16"	2"	13
46-UB29	1/2"	4 5/16"	7 1/2"	2"	13
46-UB30	1/2"	3 13/16"	6 7/16"	2 1/2"	13
46-UB31	3/8"	1 5/8"	5 9/16"	1 3/4"	16
46-UB32	1/2"	3 3/8"	5 3/16"	2"	13
46-UB33	3/8"	2 1/16"	8"	3 5/8"	16
46-UB34	1/2"	2 5/8"	3 1/16"	2"	13
46-UB35	3/8"	2 1/16"	3 3/8"	1 3/4"	16
46-UB36	1/2"	4 7/8"	8 5/16"	2"	13
46-UB38	1/2"	3 1/16"	6 5/16"	2"	13
46-UB39	3/8"	3 1/16"	2 3/8"	1 3/4"	16
46-UB40	3/8"	2 1/16"	3 7/8"	1 3/4"	16
46-UB41	1/2"	3 5/8"	12"	3 7/8"	20
46-UB42	1/2"	3 13/16"	7"	2"	13
46-UB44	1/2"	1 9/16"	4 1/16"	2"	13
46-UB46*	1/2"	3 5/16"	2 3/16"	1 3/4"	13




*FITS 46-P16 PLATE

U-BOLTS - ROUND


ZINC PLATED FOR RUST RESISTANCE.
NUTS NOT INCLUDED.

STOCK NO	STOCK DIA.	A	B	C	THREADS PER INCH
46-UB1	3/8"	1 1/16"	3 3/8"	1 3/4"	16
46-UB2	3/8"	1 3/4"	4 3/16"	1 3/4"	16
46-UB2A	3/8"	2 1/16"	5 1/16"	1 3/4"	16
46-UB21	1/2"	2 3/8"	5 3/8"	2"	13
46-UB24A	3/8"	1 3/4"	2 11/16"	1 3/4"	16
46-UB25	1/2"	2 1/16"	5"	2"	13



GALVANIZED U-BOLTS

STOCK NO	STOCK DIA.	A	B	C	THREADS PER INCH	BEND
46-UB50	3/8"	2 1/4"	4"	1 1/4"	16	SQUARE
46-UB70	3/8"	3 1/16"	3 7/8"	1 1/4"	16	SQUARE
46-UB100	1/2"	2 5/16"	5 11/16"	2"	13	SQUARE
46-UB110	1/2"	2 5/8"	3 9/16"	2"	13	SQUARE
46-UB130	1/2"	2 5/16"	7 13/16"	2"	13	SQUARE
46-UB150	1/2"	3 1/16"	5 5/16"	2"	13	SQUARE
46-UB160	1/2"	3 1/16"	2 5/16"	1"	13	SQUARE
46-UB190	1/2"	3 3/8"	6 3/16"	2"	13	SQUARE
46-UB210	1/2"	2 3/8"	5 3/8"	2"	13	ROUND
46-UB220	3/8"	3 1/16"	5 13/16"	1 1/4"	16	SQUARE
46-UB230	3/8"	2 1/16"	6 7/8"	1 1/4"	16	SQUARE
46-UB240	3/8"	1 9/16"	2 5/8"	1 1/4"	16	SQUARE
46-UB260	1/2"	3 1/16"	4 5/16"	2"	13	SQUARE
46-UB270	1/2"	2 1/16"	4 13/16"	2"	13	SQUARE
46-UB280	1/2"	3 1/16"	7 13/16"	2"	13	SQUARE
46-UB340	1/2"	2 5/8"	3 1/16"	2"	13	SQUARE
46-UB350	3/8"	2 1/16"	3 3/8"	1 1/4"	16	SQUARE
46-UB360	1/2"	4 7/8"	8 5/16"	2"	13	SQUARE
46-UB380	1/2"	3 1/16"	6 5/16"	2"	13	SQUARE
46-UB400	3/8"	2 1/16"	3 7/8"	1 1/4"	16	SQUARE
46-UB420	1/2"	3 13/16"	7"	2"	13	SQUARE



GALVANIZED LOCK WASHERS

STOCK NO	QTY	SIZE
66-WSH12LO	1	1/2"
66-WSH38LO	1	3/8"



GALVANIZED NUTS


TO BE USED WITH GALVANIZED U-BOLTS.

STOCK NO	QTY	SIZE
66-NT120	1	1/2"
66-NT380	1	3/8"




STAINLESS STEEL U-BOLTS

STOCK NO	STOCK DIA.	A	B	C	THREADS PER INCH	BEND
46-UB2SS	3/8"	1 1/2"	4 3/16"	1 3/4"	16	ROUND
46-UB7SS	3/8"	3 1/16"	3 7/8"	1 3/4"	16	SQUARE
46-UB9SS	3/8"	3 1/16"	4 3/4"	1 3/4"	16	SQUARE
46-UB10SS	1/2"	2 3/8"	5 5/8"	2"	13	SQUARE
46-UB10ASS	1/2"	1 7/8"	4 7/8"	2"	13	SQUARE
46-UB11SS	1/2"	2 5/8"	3 9/16"	2"	13	SQUARE
46-UB12SS	1/2"	2 5/8"	4 9/16"	2"	13	SQUARE
46-UB15SS	1/2"	3 1/16"	5 1/2"	2"	13	SQUARE
46-UB19SS	1/2"	3 3/8"	6 3/16"	2"	13	SQUARE
46-UB21SS	1/2"	2 7/16"	5 1/2"	2"	13	ROUND
46-UB22SS	3/8"	5 13/16"	1 3/4"	1 3/4"	16	SQUARE
46-UB24SS	3/8"	1 9/16"	2 1/2"	1 3/4"	16	SQUARE
46-UB26SS	1/2"	3 1/16"	4 1/2"	2"	13	SQUARE
46-UB27SS	1/2"	2 1/16"	4 7/8"	2"	13	SQUARE
46-UB29SS	1/2"	4 5/16"	7 1/2"	2"	13	SQUARE
46-UB30SS	1/2"	3 13/16"	6 7/16"	2"	13	SQUARE
46-UB31SS	3/8"	1 5/8"	5 9/16"	1 3/4"	16	SQUARE
46-UB32SS	1/2"	3 3/8"	5 3/16"	2"	13	SQUARE
46-UB36SS	1/2"	4 7/8"	8 5/16"	2"	13	SQUARE
46-UB38SS	1/2"	3 1/16"	6 5/16"	2"	13	SQUARE
46-UB42SS	1/2"	3 13/16"	7"	2"	13	SQUARE
46-UB43SS	1/2"	3 1/16"	7 5/16"	2"	13	SQUARE




ANGLE U-BOLTS

STOCK NO	SIZE
46-UB47	3"X3"
46-UB48	3"X4"



PLATES - ALUMINUM

STOCK NO	HOLE SIZE	DISTANCE BETWEEN HOLES	WIDTH	O.A.L.
46-P35A	1/2"	3 3/8"	1 1/2"	5 1/2"
46-P36A	1/2"	4 5/8"	1 1/2"	6 1/2"
46-P37A	1/2"	3 1/8 W/1" SLOTS	1 1/2"	6 1/2"
46-P38A	1/2"	6 1/4"	1 1/2"	8"
46-P39A	1/2"	3 1/2" W/1" SLOTS	1 1/2"	6"







PLATES

GALVANIZED FOR RUST RESISTANCE.

STOCK NO	HOLE SIZE	DISTANCE BETWEEN HOLES	WIDTH	O.A.L.	USE
46-P2	3/8"	2"	1"	3 5/8"	FITS 2" CHANNEL
46-P3	3/8"	3"	1"	4 5/8"	FITS 3" CHANNEL
46-P4	3/8"	4"	1"	5 5/8"	FITS 4" CHANNEL
46-P5	3/8"	5"	1"	6 5/8"	FITS 5" CHANNEL
46-P6	3/8"	6"	1"	7 5/8"	FITS 6" CHANNEL
46-P7	1/2"	2"	1 1/2"	4"	SPRING SHACKLE
46-P8	3/8"	2"	1 1/2"	4"	UNDERCARRIAGE PLATE
46-P9	1/2"	2"	1 1/2"	4 3/8"	3-HOLE AXLE PLATE
46-P10	1/2"	3 3/8" X 5 7/8"	1 1/2"	12"	3-HOLE ROLLER PLATE
46-P11	1/2"	1 11/16" X 2"	3 1/2"	4"	5-HOLE AXLE PLATE
46-P12	1/2"	3 1/8"	1 1/2"	5 1/2"	LARGE SHACKLE
46-P13	1/2"	2 5/16" X 1 13/16"	3 1/2"	6"	5-HOLE AXLE PLATE
46-P15	3/8"	2 21/2" X 3 1/2"	3 1/2"	4 1/2"	BOAT GUIDE
46-P16	1/2"	1/2" X 1 1/2" X 1 1/2"	3"	3 1/2"	5-HOLE AXLE PLATE
46-P19	1/2"	1 1/2"	1 1/2"	5"	3-HOLE AXLE PLATE
46-P7916*	9/16"	2 1/16"	1 1/2"	4 1/2"	SHACKLE PLATE

*ZINC PLATED



HAMMERLOCK-BOOTLOCK

SLIDES THROUGH TRAILER WHEEL COVERING THE TIRES LUO NUTS AND SPINDLE. PROTECTED PADLOCK ARE TO AVOID CUTTING. ZINC PLATED TO RESIST WEATHER AND CORROSION.

STOCK NO	DESCRIPTION	
I-B101	BOOT BRACKET ML#220	



HAMMERLOCK-CORKSCREW

EASILY GLIDES OVER AND FULLY ENCOMPASSES THE AXLE PREVENTING REMOVAL OF THE WHEEL, PROVIDING MAXIMUM SECURITY.


STOCK NO	DESCRIPTION	
I-C101	CORKSCREW SYSTEM ML#220	



HAMMERLOCK-CHAIN

CHAIN IS MADE OF SQUARE, NON-CUT,
TRIPLE HARDENED, ZINC PLATED STEEL.
LOCKS ARE DRILL AND CUT RESISTANT.

STOCK NO	DESCRIPTION
1-CH1033065	3' CHAIN W/LOCK
1-CCH1033065	3' COATED CHAIN W/LOCK
1-CH1063065	6' CHAIN W/LOCK
1-CCH1063065	6' COATED CHAIN W/LOCK
1-CH1083065	8' CHAIN W/LOCK
1-CCH1083065	8' COATED CHAIN W/LOCK
1-CH1103065	10' CHAIN W/LOCK
1-CCH1103065	10' COATED CHAIN W/LOCK
1-CH1123065	12' CHAIN W/LOCK
1-CCH1123065	12' COATED CHAIN W/LOCK



HAMMERLOCK ABLOY LOCK

STOCK NO	
1-3065	



MASTERLOCK TRAILER LOCKS

GUARDS AGAINST THEFT OF UNHITCHED
BOAT, CAMPING AND UTILITY TRAILERS.

STOCK NO	FITS COUPLER
21-34	2"
21-34KA*	2"
21-35	2" AND 2 5/16"
21-36	2 5/16" **

* KEYED ALIKE

** DOES NOT FIT DICO MODEL 60, MODEL 10 OR 2516300.



REPLACEMENT ALLEN WRENCH

FOR USE ON MASTERLOCK TRAILER LOCKS.

STOCK NO	
21-ALLEN KEY	



FULTON GORILLA GUARD TRAILER LOCK

REVOLUTIONARY DESIGN SHIELDS LOCK FROM
TAMPERING DEVICES. VIRTUALLY INDESTRUCTIBLE.
MADE IN U.S.A.

STOCK NO	FITS COUPLER
13-TP20	2"
13-TP25	2 5/16"



GUARDIAN COUPLER LOCK

STOCK NO	DESCRIPTION
9-G33	FITS 1 7/8" COUPLER
9-G38	FITS 2" & 2 5/16" DICO COUPLERS
9-G44	FITS U.F.P. COUPLER

MODEL G-33



MASTERLOCK ARMOR LOCK

FOR GUARDING TRAILERS ON OR OFF VEHICLES AND FOR USE WITH SECURITY CABLES, CHAINS AND HASPS.

STOCK NO
21-37D
21-37KA*

*KEYED ALIKE



FULTON TRAILER HITCH LOCK

THEFT PROOF ON OR OFF THE CAR. PICK RESISTANT, SOLID CAST, HEAT TREATED FOR TOUGHNESS. WILL NOT CORRODE, RUST OR CLOG.

STOCK NO
13-HL00101



ABUS DISKUS PADLOCK

FOR USE WITH "E-Z LOCK" COUPLER LOCKS (34-TL30 OR 34-TL301). NON-CORROSIVE STAINLESS STEEL BODY AND INTERIOR.

STOCK NO
34-2460C



MASTERLOCK BRASS PADLOCKS

RESISTANT SOLID BRASS CASE. BRASS PIN TUMBLER LOCKING MECHANISM. RUGGED LOCKING LEVER. CASE-HARDENED STEEL SHACKLE. TWO NICKLED-PLATED BRASS KEYS.

STOCK NO	CASE WIDTH	A	B	C
21-130D	1 3/16"	3/16"	9/16"	5/8"
21-140D	1 9/16"	1/4"	13/16"	7/8"



MASTERLOCK

OUTBOARD MOTOR LOCK

FITS THE MAJORITY OF MOTORS SECURED TO TRANSOM BY MEANS OF CLAMP SCREWS (EXCEPT CERTAIN CHRYSLER OUTBOARDS). CASE HARDENED STEEL TUBE VINYL CLAD AGAINST WEATHER AND WATER.

STOCK NO	DESCRIPTION	
21-430	BRASS LOCK	



JET SKI LOCK

STOCK NO	DESCRIPTION	
72-T6	1/2" X 8 5/8"	



SURGE BRAKE COUPLER LOCK

FITS SURGE BRAKE COUPLERS WITH UP TO 3 1/2" SPAN.

STOCK NO	
72-TC3	



COUPLER LOCK - MASTER LOCK

FITS MOST 1 7/8" AND 2" COUPLERS. NICKEL-PLATED, ZINC DIE-CAST BODY WITH A FRONT ACCESS KEY-WAY FOR EASE OF ACCESSIBILITY.

STOCK NO	
21-377	




FULTON GORILLA GUARD

RECEIVER LOCK

PREVENTS THEFT. EASY TO USE QUICK LOCK MECHANISM. TWO SIZES TO FIT ALL RECEIVERS. PLATED STEEL HITCH PIN. 1/2" DIA. FOR 1 1/4" RECEIVERS. 5/8" DIA. FOR 2" RECEIVERS.

STOCK NO	PIN DIA.	
13-RL50	1/2"	
13-RL63	5/8"	



RECEIVER LOCKS

MADE OF HIGH QUALITY CHROME PLATED MACHINE HARDENED STEEL. O-RING AND WATERTIGHT CAP HELP SEAL OUT DIRT AND CORROSION IN THE LOCK HEAD. RUGGED TUBE KEY WON'T BEND OR BREAK OFF LIKE FLAT KEYS.

STOCK NO	FITS	
72-T2	1/2" PIN FITS ALL CLASS II RECEIVER HITCHES	
72-T3	5/8" PIN FITS ALL CLASS III & IV RECEIVER HITCHES	



MASTERLOCK HITCH RECEIVER LOCKS

SNAP-ON RECEIVER LOCKS DO NOT REQUIRE A KEY TO LOCK. VINYL KEYWAY COVER ALLOWS FOR EXTENDED WEATHER PROTECTION. AVAILABLE FOR 1/2" AND 5/8" RECEIVERS.

STOCK NO	FITS	
21-374	1/2" RECEIVER	
21-375	5/8" RECEIVER	



MASTER LOCK - S/S COMBO RECEIVER LOCK

STAINLESS STEEL UNIVERSAL RECEIVER LOCK FITS 1 1/4" & 2" RECEIVERS. FOR CLASS II, III & IV RECEIVERS. SLEEVE ON FITS 5/8" DIA, SLEEVE OFF FITS 1/2" DIA.

STOCK NO	
21-1480DAT	



EZ LOCK

A THEFT DETERRENT FOR UNATTACHED TRAILERS. SIMPLY SLIDE THE PIN THROUGH THE HOLES AND LOCK. MADE OF HIGH QUALITY ALUMINUM. PADLOCK NOT INCLUDED. USE LOCK #34-2460C.

STOCK NO	FITS COUPLER	
34-TL301	2 5/16" DICO	
34-TL33	2"	



LUG NUT LOCK

DESIGNED FOR LOCKING NON-OPERATING SPARE TIRES ON VEHICLES, R.V.'S, BOATS, AND OTHER TRAILERS. CHROME ZINC PLATED.

STOCK NO	
21-262	

